

	U	
Version 1.0	SDS Number: 400000005869	Revision Date: 04/21/2020
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Advanced Hand Sar	nitizer Sanitizing Gel
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887	: Outside USA & CANADA
Recommended use of the o	chemical and restrictions on use	
Recommended use Restrictions on use	 Hand Sanitizer This is a personal care or cosm consumers and other users und 	•

foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large

spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed.



ersion 1.0	SDS Number: 400000005869	Revision Date: 04/21/2020
	 P240 Ground/bond container at P241 Use explosion-proof elect equipment. P242 Use only non-sparking too P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 IF IN EYE for several minutes. Remove co to do. Continue rinsing. P337 + P313 If eye irritation pe attention. P370 + P378 In case of fire: Us alcohol-resistant foam to exting Storage: P403 + P235 Store in a well-ve Disposal: P501 Dispose of contents/ cont disposal plant. 	trical/ ventilating/ lighting/ ols. sures against static discharge. e protection. ES: Rinse cautiously with water ontact lenses, if present and eas rsists: Get medical advice/ se dry sand, dry chemical or juish. ntilated place. Keep cool.
Other hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	 Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES



Version 1.0	SDS Number: 40000005869 Revision Date: 04/21/2020
Suitable extinguishing media Unsuitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

: For personal protection see section 8.
Keep away from heat.
Use with local exhaust ventilation.
Avoid contact with eyes.



Version 1.0	SDS Number: 400000005869	Revision Date: 04/21/2020
Conditions for safe storage	: Take measures to prevent the buil Keep in properly labelled containe Keep container tightly closed in a place. Store in accordance with the partic	rs. dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Personal protective eq	•			

Components with workplace control parameters

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	 Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special protective equipment required.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: gel : clear, colourless, yellow : citrus : No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling range	: No data available : 70 °C
Flash point	: 25 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available



Version 1.0	SDS Number: 40000005869 Revision Date: 04/21/2020
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.87 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 3500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 Not classified as a reactivity hazard. Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact		
Acute toxicity Not classified based on available information.		
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l	



Version 1.0

SDS Number: 40000005869

Revision Date: 04/21/2020

Exposure time: 4 h Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components: Ethyl Alcohol:

Ethyl Alcohol:	: Test Type: In vitro mammalian cell gene mutation test
Genotoxicity in vitro	Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential



sion 1.0	SDS Number: 400000005869	Revision Date: 04/21/202
	carcinogen by OSHA.	
NTP	No component of this product presequal to 0.1% is identified as a known by NTP.	
Reproductive toxicity Not classified based on availab	ble information.	
Components: Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation repr Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
STOT - single exposure Not classified based on availab	ble information.	
STOT - repeated exposure		
Not classified based on availab	ble information.	
Repeated dose toxicity		
Components: Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y		
Aspiration toxicity Not classified based on availab	ble information.	
TION 12. ECOLOGICAL INFO	PRMATION	
Ecotoxicity		
O		
Components:		
Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fa Exposure time: 96 h	athead minnow)): > 1,000 mg/
Ethyl Alcohol:		<i>"</i>
Ethyl Alcohol: Toxicity to fish Toxicity to daphnia and other	Exposure time: 96 h : EC50 (Daphnia magna (Water	flea)): > 1,000 mg/l n water algae)): 275 mg/l



Version 1.0	SDS Number: 400000005869	Revision Date: 04/21/2020
Toxicity to bacteria	: EC50 (Photobacterium phosphore Exposure time: 0.25 h	um): 32.1 mg/l
Persistence and degradabili	ty	
Components: Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Mobility in soil No data available		
Other adverse effects No data available		
Product: Regulation	40 CFR Protection of Environment Stratospheric Ozone - CAA Sectio	
Remarks	This product neither contains, nor Class I or Class II ODS as defined Section 602 (40 CFR 82, Subpt. A	by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

IATA-DGR	
UN/ID No.	: UN 1170
Proper shipping name	: Ethanol solution
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355



	0	
Version 1.0	SDS Number: 40000005869	Revision Date: 04/21/2020
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	: UN 1170 : ETHANOL SOLUTION : 3 : III : 3 : F-E, S-D : no	
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1170 : Ethanol solutions : 3 : III : 127 : no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol 64-17-5 65.2815 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65	This product does not require a warning label under California
	Proposition 65.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory




Version 1.0	SDS Number: 400000005869	Revision Date: 04/21/2020
AICS	: On the inventory, or in compliance	with the inventory
DSL	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Further information

Revision Date : 04/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.